



**3868 Carbide Triple Set® TSX**  
**Triple Chip Carbide Metal Cutting**  
**Bandsaw Blade for Difficult and**  
**Abrasive Materials**

BAHCO Carbide Triple Set® TSX 3868

PRODUCT DETAILS



- Carbide blade for high efficiency cutting of difficult and abrasive materials
- Triple-set tooth design and good kerf clearance helps eliminate tooth loss
- Set tooth design eliminates vibration and noise especially on unstable machines
- Carbide is very tough so the edges can withstand the high impact forces of bandsawing without breaking or chipping
- Selected carbide tip for wear, resistance and durability has proven to increase productivity dramatically
- Positive 10° rake angle tooth for faster cutting rates and increased productivity
- Selected carbide tip for wear, resistance and durability
- Strong set pattern for good swarf clearance and longer tool life
- Standard widths and thickness which fit all types of bandsaw machines without modification
- Perfect for cutting titanium alloys, graphite alloy, aluminium with high silicon or matrix alloys
- Provides clearance for good chip removal
- Greatly improved blade life



**Follow the Fish!**



## PRODUCT ATTRIBUTES

Product						
<b>3868-27-0.9-TSX-3/4</b>	27 mm	1 in	0,9 mm	0.035 in	3/4	TSX
<b>3868-34-1.1-TSX-2</b>	34 mm	1-1/4 in	1.1 mm	0.042 in	2	TSX
<b>3868-34-1.1-TSX-2/3</b>	34 mm	1-1/4 in	1.1 mm	0.042 in	2/3	TSX
<b>3868-34-1.1-TSX-3/4</b>	34 mm	1-1/4 in	1.1 mm	0.042 in	3/4	TSX
<b>3868-41-1.3-TSX-1.4/2</b>	41 mm	1-1/2 in	1.3 mm	0.050 in	1.4/2	TSX
<b>3868-41-1.3-TSX-1.6</b>	41 mm	1-1/2 in	1.3 mm	0.050 in	1.6	TSX
<b>3868-41-1.3-TSX-2</b>	41 mm	1-1/2 in	1.3 mm	0.050 in	2	TSX
<b>3868-41-1.3-TSX-2/3</b>	41 mm	1-1/2 in	1.3 mm	0.050 in	2/3	TSX
<b>3868-41-1.3-TSX-3/4</b>	41 mm	1-1/2 in	1.3 mm	0.050 in	3/4	TSX
<b>3868-54-1.3-TSX-1.4/2</b>	54 mm	2 in	1.3 mm	0.050 in	1.4/2	TSX
<b>3868-54-1.6-TSX-1/1.25</b>	54 mm	2 in	1.6 mm	0.062 in	1/1.25	TSX
<b>3868-54-1.6-TSX-1.4/2</b>	54 mm	2 in	1.6 mm	0.062 in	1.4/2	TSX
<b>3868-54-1.6-TSX-1.6</b>	54 mm	2 in	1.6 mm	0.062 in	1.6	TSX
<b>3868-54-1.6-TSX-2/3</b>	54 mm	2 in	1.6 mm	0.062 in	2/3	TSX
<b>3868-54-1.6-TSX-3/4</b>	54 mm	2 in	1.6 mm	0.062 in	3/4	TSX
<b>3868-67-1.6-TSX-.7/1</b>	67 mm	2-5/8 in	1.6 mm	0.062 in	0.7/1	TSX
<b>3868-67-1.6-TSX-1/1.25</b>	67 mm	2-5/8 in	1.6 mm	0.062 in	1/1.25	TSX
<b>3868-67-1.6-TSX-1.4/2</b>	67 mm	2-5/8 in	1.6 mm	0.062 in	1.4/2	TSX
<b>3868-67-1.6-TSX-2/3</b>	67 mm	2-5/8 in	1.6 mm	0.062 in	2/3	TSX
<b>3868-80-1.1-TSX-3/4</b>	80 mm	3-1/8 in	1,1 mm	0.042 in	3/4	TSX
<b>3868-80-1.6-TSX-.7/1</b>	80 mm	3-1/8 in	1.6 mm	0.062 in	0.7/1	TSX
<b>3868-80-1.6-TSX-1/1.25</b>	80 mm	3-1/8 in	1,6 mm	0.062 in	1/1.25	TSX
<b>3868-80-1.6-TSX-2/3</b>	80 mm	3-1/8 in	1.6 mm	0.062 in	2/3	TSX

Follow the Fish!

